SCENE
IDEAS

2200 Shell Rd. Richmond, B.C. V6X 2P1
T. 604.696.1393 F. 604.357.1393
www.sceneideas.ca

Staging Systems

Rental Catalogue 2017

Scene Ideas Staging

Scene Ideas maintains Western Canada's largest inventory of Steeldeck® staging and accessories. In combination with our fabrication facilities and workforce, Scene ideas provides complete staging systems, engineered for any event or environment.



Equipment Index

DECKS

Standard Decks p.3
Specialty
- Triangles p.4
- Quadrants p.5
- 16’ D Round Stage and Segments p.6
- 24’ D Round Stage and Segments p.7
- 24’ D Round Stage - Wheelchair Ramp and Stairs p.8
- 34’ D Round Stage and Segments p.9
- Motorized Revolving Stages p.10
- Square Surrounds p.11
- Scenic Tracking System p.12

ACCESSORIES

Legs p.13
Clamp-on Coupler p.13
Leg End Cap p.14
Plywood Pads p.14
Leg/Pipe Rack p.14
Screw Jacks p.15
Swivel-Base Screw Jacks p.15
Rolling Legs p.16
Inside Corner Caster p.16
Fixed Caster p.17
Pneumatic Casters p.17
Post-Jack with Wheel p.18
Triple Swivel Caster p.18
Stairs - Adjustable p.19
Stairs - Box Step Units p.20
Stairs - Box Step Unit Handrails p.20
Stairs - Curved, 3 Step p.21
Stairs - Curved, 4 Step p.21
Stairs - Curved, Quarter Round p.22
Stairs - Curved, 16’ ID (12” H) p.23
Stairs - Curved, 16’ ID (2’ 4 ¾” H) p.23
Guardrails p.24
Guardrail Backplate p.25
Guardrail Racks p.25
Moveable Handrail Upright p.26
Adjustable Wheelchair Ramp Handrail Sleeve p.26
Ramp - Steeldeck® 4’x4’ p.27
Ramp - Car p.27
Ramps - Plywood p.28
Tent Leg Adapters p.28
Cleva Foot p.29
Moveable Leg Pocket p.29
Bridgejoint p.29

FITTINGS

Pipe Fittings p.30
90º Fixed Pipe Clamp p.31
Swivel Pipe Clamp p.31
Pipe p.32
Cross Braces p.32
Bunny Clamp p.33
Double Bunny Clamp p.33
Deck-to-Deck Joint Plate p.34
Bolts p.34

TOOLS

Creeper p.35
Chain Clamp p.35
Ratchet Straps p.36
Supertool p.36

HANDLING

Dock Plate p.37
Monkey Chariot p.37

APPEARANCE

Skirting, Fascia, Carpet, Dance Floor p.38

SERVICES p.39

CREATIVE STAGING CONFIGURATIONS p.40-41

Decks

Steeldeck® - Standard Decks

Description:

Standard Steeldeck® platforms constructed using zinc-plated steel truss frame with high quality ¾" MDO plywood tops. Tops are insulated from frames to reduce noise & vibration. Standard decks will accept 4 legs of 1½" Schedule 40 steel pipe. Legs are held in place by a hand knob. Decks are connected to each other by bolting through pre-drilled holes along each edge. The top surface has a black paint finish.



Technical Specifications:

DECK SIZE	LEG POSTS	CARRYING WEIGHT	LOAD CAPACITY
4'x8'	4	155 lbs	4000 lbs
3'x8'	4	125 lbs	3000 lbs
2'x8'	4	90 lbs	2000 lbs
4'x6'	4	125 lbs	3000 lbs
3'x6'	4	110 lbs	2250 lbs
2'x6'	4	80 lbs	1500 lbs
4'x4'	4	80 lbs	2000 lbs
3'x4'	4	68 lbs	1500 lbs
2'x4'	4	50 lbs	1000 lbs
2'x3'	4	46 lbs	750 lbs
2'x2'	4	33 lbs	500 lbs

Related Accessories:

- Legs
- Screw Jacks
- Casters
- Guardrails
- Step Units
- Ramps
- Bracing
- Skirting

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Decks

Specialty - Steeldeck® Triangles

Description:
Steeldeck® platform constructed using zinc-plated steel truss frame with high quality ¾" MDO plywood tops. Tops are insulated from frames to reduce noise & vibration. Steeldeck® Triangles accept 3 legs of 1½" Schedule 40 steel pipe. Legs are held in place by a hand knob. Decks are connected to each other by bolting through pre-drilled holes along each edges. The top surface has a black paint finish.



Technical Specifications:

DECK SIZE	LEG POSTS	CARRYING WEIGHT	LOAD CAPACITY
4'x4'	3	56 lbs	1000 lbs



Related Accessories:

- Legs
- Screw Jacks
- Casters
- Guardrails
- Step Units
- Ramps
- Bracing
- Skirting

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Decks

Specialty - Steeldeck® Quadrants



Description:
Steeldeck® platform constructed using zinc-plated steel truss frame with high quality ¾" MDO plywood tops. Tops are insulated from frames to reduce noise & vibration. Steeldeck® Quadrants accept legs of 1½" Schedule 40 steel pipe. Legs are held in place by a hand knob. Decks are connected to each other by bolting through pre-drilled holes along straight edges. Used to create round stages or to round off stage corners. The top surface has a black paint finish.

Technical Specifications:

DECK SIZE	LEG POSTS	CARRYING WEIGHT	LOAD CAPACITY
4'x4'	4	70 lbs	1570 lbs
6'x6'	8	155 lbs	3534 lbs



Related Accessories:

- Legs
- Screw Jacks
- Casters
- Guardrails
- Step Units
- Ramps
- Bracing
- Skirting

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Decks

Specialty - Steeldeck® 16’D Round Stage and Segments



Description:
Steeldeck® platform constructed using zinc-plated steel truss frame with high quality ¾” MDO plywood tops. Tops are insulated from frames to reduce noise & vibration. Steeldeck® 16’D Segment decks will accept 5 legs of 1½” Schedule 40 steel pipe. Legs are held in place by a hand knob. Decks are connected to each other by bolting through pre-drilled holes along straight edges. The top surface has a black paint finish.

16’D Full Round Composition

DECK SIZE	QTY
16’ D Segment (Left-hand)	4
16’ D Segment (Right-hand)	4
4’x8’ Standard	2

16’D Half Round Composition

DECK SIZE	QTY
16’ D Segment (Left-hand)	2
16’ D Segment (Right-hand)	2
4’x8’ Standard	1



Related Accessories:

- Legs
- Screw Jacks
- Casters
- Guardrails
- Step Units
- Ramps
- Bracing
- Skirting

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Decks

Specialty - 24’ D Round Stage and Segments

Description:
Standard Steeldeck® platforms in combination with wood construction segments create a round or half-round stage, or to round off stage corners. The top surface has a black paint finish.

**Can be supplied with or without plexi inserts that create a lit effect around the perimeter(*24’D only).*



24’D Full Round Composition

DECK SIZE	QTY
24’ D Segment (Centre)	4
24’ D Segment (Right-hand)	4
24’ D Segment (Left-hand)	4
4’x8’ Standard	8
2’x8’ Standard	4

24’D Half Round Composition

DECK SIZE	QTY
24’ D Segment (Centre)	2
24’ D Segment (1/2 Centre)	2
24’ D Segment (Left-hand)	2
24’ D Segment (Right-hand)	2
4’x8’ Standard	4
2’x8’ Standard	1
2’x4’ Standard	2

Related Accessories:

- Legs
- Screw Jacks
- Casters
- Step Units
- Ramps
- Bracing
- Skirting



SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Decks

Specialty - 24’ D Round Stage - Wheelchair Ramp and Stairs

Description:
Curved stairs and wheelchair ramp that mate with the 24’ Round Stage at a 3’ height.





T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Decks

Specialty - 34’ D Round Stage and Segments

Description:
Standard Steeldeck® platforms in combination with wood construction segments create a round or half-round stage, or to round off stage corners. The top surface has a black paint finish.







34’D Full Round Composition

DECK SIZE	QTY
34’ D Segment (Right-hand Lg)	4
34’ D Segment (Left-hand Lg)	4
34’ D Segment (Right-hand Sm)	4
34’ D Segment (Left-hand Sm)	4
4’x8’ Standard	18
2’x8’ Standard	8

34’D Half Round Composition

DECK SIZE	QTY
34’ D Segment (Right-hand Lg)	2
34’ D Segment (Left-hand Lg)	2
34’ D Segment (Right-hand Sm)	2
34’ D Segment (Left-hand Sm)	2
4’x8’ Standard	9
2’x8’ Standard	4

Related Accessories:

- Legs
- Screw Jacks
- Casters
- Step Units
- Ramps
- Bracing
- Skirting

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Decks

Specialty - Motorized Revolving Stages

External Friction Drive Revolve

Description:

Size: Available in 8’3”D, 16’D, or 24’D. Finished Ht: 12”
The top surface has a black paint finish.

Our controller allows for manual or pre-programmed operation. Precision timing and rotation can be achieved, with cue-building for up to approximately 2,000 rotations in either direction.

The 16’ - 24’ diameter revolves are engineered to support up to 10,000 lbs in operation.

*Does not require mounting to flooring.
*Power requirements available on request
*Requires SI Supervisor for Installation & Operation
*Min. access for load-in 6’6” door width
**Note these sizes are modular and cannot be supplied concurrently*









Centre Spindle Revolve

Description:

Size: 4’D Finished Ht: 12”
The top surface has a gloss white paint finish.

Related Accessories:

- Square Surrounds
- 16’D Curved Stair Units
- Steeldeck® Platforms

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Decks

Specialty - Square Surrounds

Description:
The square surrounds work in combination with Steeldeck® platforms to position a revolving stage inside of a larger fixed position stage. These surrounds sit flush with the revolving stage with a ½" gap between them. Stage segments are constructed of ¾" plywood with steel leg pockets that accept 1½" Schedule 40 steel pipe legs. Available for 16'D and 24' D Revolving Stages. The top surface is a black painted finish.







SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Decks

Specialty - Scenic Tracking System

Description:
A modular set of Steeldeck® platforms, fitted with V-grooved casters that fit to a V-track. This system enables smooth and secure scenic tracking for rolling sets. It is commonly used to create DJ switching stations, as a 14’ long rolling riser set on a 20’ track (as shown). This system is modular and can easily be adjusted to any height, length or depth desired.





Tracking Set, Standard Composition (as shown)

DECK SIZE	QTY
4’x8’ Standard	5
3’x6’ Standard	2
3’x8’ Standard	2
V-Track 20’	1
Legs, Casters & Cleva Feet	



Related Accessories:

- Legs
- Casters
- Guardrails
- Step Units
- Ramps
- Cleva Feet
- Skirting

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Legs

Description:
Legs are 1½” Schedule 40 pipe, and are available with either a welded-on or clamp-on coupler which allows platforms to share a leg at each joint. Stock lengths are listed below, and custom lengths can be provided. Plastic leg end caps are available.
*Welded-on coupler legs are steel, non-coupler legs (straight) are aluminum.

Stock Lengths

LENGTH		LENGTH	
8”	(*no coupler)	40”	(*with Welded-on Coupler)
12”	(*with or without Welded-on Coupler)	48”	(*with Welded-on Coupler)
16”	(*with or without Welded-on Coupler)	60”	(*with Welded-on Coupler)
24”	(*with or without Welded-on Coupler)	72”	(*with Welded-on Coupler)
32”	(*with or without Welded-on Coupler)	84”	(*with Welded-on Coupler)
36”	(*with Welded-on Coupler)	96”	(*without Welded-on Coupler)

Related Accessories:

- Decks
- Screw Jacks
- Casters
- Leg End Caps
- Clamp-on Coupler
- Ply Pads



Clamp-On Coupler

Description:
A scaffold pipe clamp and attachment plate (either left or right) that is used to support two or more decks with the use of one leg.
*It is important to always securely fasten the clamp to the leg and use all platform connecting bolts when using this fitting. Failure to do so may result in the fitting slipping, which can cause damage and/or injuries.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
3 lbs	3000 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Leg End Cap

Description:
Black plastic cap insert to fit into end of legs. Supplied to protect flooring surfaces.



Plywood Pads

Description:
Blocks used under legs and screw jacks to protect floors and distribute loads. Standard pads are 11”x11”, of ¾” plywood, but can be provided in other sizes and thicknesses, or with additional protective coverings (carpet, foam, etc).



Leg/Pipe Rack

Description:
Welded frame for storing and transporting stage legs and pipe. Two “H”-frames made from steel tube, connected by any two 1½” Schedule 40 steel pipes. The rack holds 100 legs and can be fork lifted, pallet jacked, or mounted on leg rack casters. **Note: These are available separately for rental, but are supplied at no additional cost with the rental of legs.*



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
40 lbs	4000 lbs

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Screw Jacks

Description:
Screw jacks can be inserted into platform legs, and allow for stages to be leveled on uneven ground. The screw jack is a high tensile steel threaded tube with a short arm nut that allows for easy adjustment. The threads are rounded (not acme) to guard against debris build-up.



Technical Specifications:

SIZE	CARRYING WEIGHT	LOAD CAPACITY
12”	5 lbs	2000 lbs
16”	6 lbs	2000 lbs
24”	8 lbs	2000 lbs

Swivel-Base Screw Jacks

Description:
Similar to a regular screw jack, but with a swivel base to allow it to hinge and accommodate sloped surfaces.



Technical Specifications:

SIZE	CARRYING WEIGHT	LOAD CAPACITY
24”	10 lbs	1500 lbs
36”	14 lbs	1500 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Rolling Legs

Description:
A steel leg outfitted with a 4” non-marring rubber stem caster bolted to the bottom. The rolling legs function similarly to a standard leg where welded-on couplers can support other decks when larger platforms are built. Ideal for rolling drum risers.



Technical Specifications:

SIZE - FINISHED HT
12” w/Stem & Brake
24” w/Welded-on Coupler & Brake
36” w/Welded-on Coupler & Brake
*Custom heights available upon request.

Inside Corner Caster

Description:
Allows a rolling Steeldeck® platform to be built at a finished height of 12”. Four casters are used per platform, and platforms can be joined together to make larger rolling stages. This rolling leg positions the caster inside the perimeter of the deck which allows numerous decks to be bolted together without the casters obstructing one another.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
6 lbs	250 lbs

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Fixed Caster

Description:
Allows a rolling Steeldeck® platform to be built at a finished height of 12”, for inline travel. These are used with the Scenic Tracking System (ref p. 12). Available in left & right orientations.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
4 lbs	300 lbs

Pneumatic Casters

Description:
Pneumatic casters bolt onto steel legs to create mobile stages or docks. These casters provide a cushioned ride, shock absorption and quiet operation. They are also stable on rough surfaces and do not sink into lawns.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY	HT
8 lbs	350 lbs	12.5”

LEG LENGTHS	FINISHED HT
7” (Straight)	19.5”
8” (Straight)	20.5”
11” (W/Welded-on coupler)	23.5”
23” (W/Welded-on coupler)	35.5”
32” (Straight)	44.5”
32” (W/Welded-on coupler)	44.5”

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Post-Jack with Wheel

Description:
Used to create large rolling stages or docks at adjustable heights. The post-jack is similar to a screw jack that sits on the post or stem of a scaffolding wheel.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
12 lbs	350 lbs

Triple Swivel Caster

Description:
The Triple Swivel Caster has three swivel casters bolted to a swiveling base. This allows for large and heavy loads to be easily moved and maneuvered. Attachments are available to be fastened to the Triple Swivel Casters to standard 16” truss (either the base or the chords) and create rolling truss structures.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
48 lbs	1000 lbs

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Stairs - Adjustable

Description:
Adjustable Step Units are fastened directly onto the edge of any Steeldeck® platform that is a minimum of 4'W. Constructed from steel tubing and aluminum treads.

3 Step
Max. height 24" with 8" rise. Min. height 12" with 4" rise.
Finish: Black

5 Step
Max. height 40" with 8" rise. Min. height 20" with 4" rise.
Finish: Black or aluminum

7 Step
Max. height 56" with 8" rise. Min. height 28" with 4" rise.
Finish: Black or aluminum





Technical Specifications:

TYPE	CARRYING WEIGHT	LOAD CAPACITY
3 Step	132 lbs	Uniform Building Code
5 Step	192 lbs	Uniform Building Code
7 Step	255 lbs	Uniform Building Code

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Stairs - Box Step Units

Description:
Box tread step units constructed from ¾" plywood. Stock finish: black.

Stock Sizes

6"H x 12"W x 3'L	1-step	24"H x 3'W	3-step
6"H x 12"W x 4'L	1-step	24"H x 8'W	3-step
6"H x 12"W x 8'L	1-step	30"H x 4'W	4-step
8"H x12"W x 8'L	2-step	32"H x 4'W	4-step
12"H x 4' W	2-step	36"H x 4'W	5-step
16"H x 4'W	2-step	40"H x 4' W	5-step
24"H x 4'W	3-step		



Stairs - Box Step Unit Handrails

Description:
Wood construction. Stock finish: black.

Related Accessories:

- Decks
- Curved Stairs
- Curved Stage Transitions *A curved piece that is cut to match the perimeters of round stages. This component is fastened to a box step unit and creates a smooth transition between the box step unit and the round stage.*

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Stairs - Curved

Description:
Curved box step units, with 1” nosing. Constructed from ¾” plywood. Stock finish: black. Used in combination with straight stairs to create dramatic stage-wrapping effects.

24” H x 34” R, 3-step unit





32”H x 3’9” R, 4-step unit





SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Stairs - Curved

Quarter Round Step Unit

Description:

2’8”H Curved box step units, with 1” nosing. Constructed from ¾” plywood. Stock finish: black.







T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Stairs - Curved

16’ (Internal diameter) Round Stairs (12”H)

Description:

12” H Curved box step units create a partial surround to a 16’D Deck. Constructed from ¾” plywood. Stock finish: black. Can be used with 16’ round stage or revolve.









16’ (Internal diameter) Round Stairs (2’ 4¾” H)

Description:

2’5”H Curved box step units with 1” nosing. 5 units available, in 36º segments, to create a half-round surround to a 16’D Deck. Outer diameter 24’. Constructed from ¾” plywood. Stock finish: black. Can be used with 16’ round stage or revolve.









SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Guardrails

Description:
Guardrails are used to form a safe barrier around the edges of platforms. Guardrails attach to Steeldeck® platforms using a backplate & hand-knob. Full height provides 44” H barrier. Media (Low height) provides 26” H barrier.
Finish: Black powder coat.



Technical Specifications:

TYPE	SIZE	CARRYING WEIGHT	LOAD CAPACITY
Full Height	4’	40 lbs	Uniform Bldg Code
Full Height	3’	35 lbs	Uniform Bldg Code
Full Height	2’	27 lbs	Uniform Bldg Code
Full Height - Lexan	4’	64 lbs	Uniform Bldg Code
Media Height	4’	21 lbs	Uniform Bldg Code

Full Height Guardrails



Media (Low Height) Guardrails



Related Accessories:

- Guardrail Backplates
- Moveable Handrails
- Guardrail Rack
- Decks
- Adjustable Wheelchair Ramp Railing

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Guardrail Backplate

Description:
1½” x ½” steel plate with hand knob, used to secure guardrails in position on Steeldeck® platform truss.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
1 lb	N/A

Guardrail Racks

Description:
Constructed from 1½” × 1½” steel tube with plywood base. These racks provides transportation for guardrails, which are held in place by ratchet strap. Racks can be fork lifted or pallet jacked.
**Note: These are available separately for rental, but are supplied at no additional cost with the rental of guardrails.*



Technical Specifications:

SIZE	CARRYING WEIGHT	LOAD CAPACITY	NOTES
2’x4’	146 lbs.	12 UNITS	*WITH CASTERS
4’x4’	160 lbs.	26 UNITS	*NO CASTERS *STACKABLE

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Moveable Handrail Uprights

Description:
Made from 1½” Schedule 40 steel pipe. Attaches with a standard guardrail backplate to any point on the perimeter of a Steeldeck® platform. Allows the construction of a 44” high custom handrail system, employing stock pipe fittings.



Related Accessories:

- Pipe
- Pipe Fittings
- Backing Plates
- Decks
- Legs

Adjustable Wheelchair Ramp Handrail Sleeve

Description:
These brackets are clamped to standard Steeldeck® guardrails and allow for 1½” Schedule 40 pipe to be inserted in sleeves to create a continuous handrail. The height & pitch of the handrail is adjustable.



Related Accessories:

- Steeldeck Ramp
- Guardrails
- Pipe

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Ramp - Steeldeck® 4'x4'

Description:
Steeldeck® ramps constructed using zinc plated steel construction and a high quality ¾" MDO plywood top. There is a hinged section of Steeldeck® truss that hooks and bolts to the straight edge of a standard deck. The top surface has a black painted finish.



Technical Specifications:

SIZE	CARRYING WEIGHT	LOAD CAPACITY
4'x4'	165 lbs	4000 lbs

Ramp - Car

Description:
Aluminum ramps that are used to provide safe and smooth ground-to-stage access to a maximum height of 4'. The ramps have an anti-slip surface and are often used to load vehicles (eg. for car exhibits) or equipment onto a platform.



Technical Specifications:

SIZE	CARRYING WEIGHT	LOAD CAPACITY
18" W x 16' L	116 lbs	3000 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Accessories

Ramps - Plywood

Description:
Constructed from ¾” plywood, with an aluminum nosing. Stock finish: black.



Stock Sizes:

SIZE	CARRYING WEIGHT
8” H x 8’L x 4’W	120 lbs
8” H x 8’L x 2’W	62 lbs
16” H x 8’2.5”L x 3’W	110 lbs

Tent Leg Adapters

Description:
Used to secure corner tent legs to decks. Fits most standard Marquee tent legs.



Technical Specifications:

SIZE	CARRYING WEIGHT
10½”x 10½”x 3’	20 lbs
PIPE ID: 1 7/8”	OD: 2 1/8”

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Accessories

Cleva Foot

Description:
Used to secure legs when stage units are stacked. Secured in place using 1” #10 pan head screw.



Moveable Leg Pocket

Description:
Same construction as standard Steeldeck® platform corner post, except that this unit comes with a backplate so that it can be bolted in any position along the frame of the deck. Provides alternatives for leg positions when a platform must be cantilevered or clear an obstruction.



Bridgejoint

Description:
Joins two Steeldeck® platforms to create a broad span, free from legs. Used in conjunction with deck-to-deck plates. Max. span 16’ w, 8’ h.



SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Fittings

Pipe Fittings

Description:
These diverse connections allow you to create pipe-to-pipe structural connections. Pipe fittings are made from corrosion resistant galvanized steel and are typically used to create pipe hand railing and other pipe-based structures.

 Single Socket Tee AIS 2-8	 30-60 Single Socket Tee AIS 3-8	 Three Socket Tee AIS 4-8	 90° Elbow AIS 6-8	 Straight Coupling AIS 8-8	Standard Flange AIS 10-8	Railing Flange AIS 12-8	 Offset Railing Flange AIS 14-8
Side Outlet Elbow AIS 18-8	Side Outlet Tee AIS 20-8	 Two Socket Cross AIS 22-8	Side Outlet Tee AIS 24-8	Four Socket Cross AIS 26-8	Offset Crossover AIS 28-8	Clamp-on Tee AIS 32-8	 Offset Rail Support AIS 34-8
Single Swivel Socket Male AIS 36-8	Swivel Socket Female AIS 42-8	 Single Swivel Socket AIS 44-8	Double Swivel Socket AIS 46-8	Swivel Flange AIS 52-8	Hook Fitting AIS 64-8	Offset Crossover AIS 66-8	

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Fittings

90º Fixed Pipe Clamp

Description:
Standard scaffold connector for joining two 1½” Schedule 40 pipes at a 90º angle.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
3.5 lbs	1500 lbs

Swivel Pipe Clamp

Description:
Standard scaffold connector for joining two 1½” Schedule 40 pipes at any angle.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
3.5 lbs	1500 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Fittings

Pipe

Description:
1½” Schedule 40 aluminum pipe. Available off the shelf in 2’ increments, from 2’-20’ lengths (custom lengths available).



Cross Braces

Description:
Cross braces use two articulating steel tubes with four attached half-swivel pipe clamps to create a very efficient brace for Steeldeck® platforms above 4’ high. Easily carried and assembled compared to traditional pipe and clamp bracing.



Technical Specifications:

X-BRACE SIZE	CARRYING WEIGHT	SPREAD
7’ (closed length)	13 lbs	4’ span - 82” min deck ht
		6’ span - 59” min deck ht
8’8”(closed length)	18 lbs	8’ span - 52” min deck ht
		6’ span - 83” min deck ht
9’ (closed length)	20 lbs	8’ span - 64” min deck ht

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Fittings

Bunny Clamp

Description:
Steel hook which allows the connection of a 1½” Schedule 40 pipe leg of one platform to the truss of another platform. Essential for tiered platforms, where the legs of one row do not line up with the legs of the next row.

Bunny Clamp



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
.5 lb	100 lbs

Double Bunny Clamp

Description:
Steel hook which allows the connection of a 1½” schedule 40 pipe leg of one platform to the leg pocket of another platform. Essential for tiered platforms, where the legs of one row line up with the legs of the next row.

Double Bunny Clamp



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
.5 lb	100 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Fittings

Deck-to-Deck Joint Plates

Description:
Two steel plates with pre-drilled holes for 3/8” x 2½” Grade 8 bolts. This allows decks to be offset from one another when needed to negotiate around an obstruction. They are also used when legs have been left out to span an obstacle.



Bolts

Description:
3/8” x 2½” Grade 5 bolts, with wing or hex nuts. Used for joining decks through pre-drilled holes along all edges of standard decks.



T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Tools

Creeper

Description:
Low profile wheel board, constructed from heavy duty molded plastic. Used to make access easier under low stages to secure bolts between decks.



Chain Clamp

Description:
A versatile and strong locking clamp that can secure materials of various shapes and sizes. Same operation as a standard vise clamp, and can be adjusted quickly. Often used to clamp parallel legs together on adjacent decks.

Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
1.5 lbs	250 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Tools

Ratchet Straps

Description:
2” x 16’ heavy duty tie down for securing loads in transportation. Webbing with hook attachment.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
4 lbs	Breaking Strength: 10,000 lbs Working Load Limit: 3335 lbs

Supertool

Description:
Steeldeck® platform hand-ratchet with combination socket on one end and a drift pin on the other.



Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
1.5 lbs	100 ft lbs

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Handling

Dock Plate

Description:
An aluminum dock plate with nonskid tread, used to bridge the gap between trailer and loading dock. Automatically compensates for height differences between dock and truck bed.



Technical Specifications:

SIZE	CARRYING WEIGHT
48”x36”	79 lbs

Monkey Chariot

Description:
A 2-wheeled steel dolly with large rubber wheels and a carrying handle that is used to easily move one Steeldeck® platform by one person. The Steeldeck® platform is placed in the monkey chariot on edge and there is a small pipe that fits between the truss that prevents it from shifting when it is being moved.





Technical Specifications:

CARRYING WEIGHT	LOAD CAPACITY
13 lbs	180 lbs

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Appearance

Available in stock: skirting, carpet, dance floor, specialty stage surfacing and hard fascia. Please inquire.



T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Services

In addition to staging rentals, Scene Ideas is a regular staging & scenic provider to the music, event, film, theatre, festival and exhibit industries. Design, fabrication & installation services are all available in-house.

Our workforce is ready for heavy lifting. Whether you require full execution or support in a supervisory capacity, our crew is trained and experienced in the best practices for staging and scenic installations.

Scene Ideas employs a task-force of specialized and experienced tradespeople, technicians, artisans and designers. We have a 12,000 square foot fabrication facility that houses fully equipped carpentry, metal work & painting shops.

Full CAD and graphic capabilities allow accurate integration with all levels of production. Working drawings, engineering drawings, and rich renderings are synchronized to ensure comprehensive communication, from concept through to execution.

SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

Staging Configurations

Using various stock decks, a huge range of creative stage configurations are possible. Following are some configurations composed of stock units. Of course, with fabrication and design facilities in-house, anything is possible. Inquire about custom units or configurations.



MSR Loading Dock



ADA Viewing Deck



VIP Festival Chalet Bleachers

T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE IDEAS

Creative Configurations











SCENE IDEAS
T. 604.696.1393
F. 604.357. 1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1

SCENE
IDEAS

T. 604.696.1393
F. 604.357.1393
www.sceneideas.ca
2200 Shell Rd. Richmond, B.C. V6X 2P1